

AMENDMENTS TO THE CLAIMS:

Please replace the claims with the claims provided in the listing below wherein status, amendments, additions and cancellations are indicated.

1-32. (Canceled)

33. (Currently Amended) An apparatus for recording, measuring, and documenting damages to an object having a painted surface, comprising:

a support frame in which the object is receivable, said support frame including guide rails mounted along the periphery therethroughout of said support frame;

a focused light source for illuminating the surface with a light beam, said light source being mounted on said support frame such that said light source is displaceable along said guide rails and pivotable at least one of horizontally or vertically;

a screen for forming an image of the surface by the light beam reflected by the surface, said screen being mounted on said support frame such that said screen is displaceable along said guide rails and is pivotable;

a recording device for recording the images;

a measurement table to which the object is anchorable, said measurement table being rotatable about a longitudinal axis thereby allowing each position of the

painted surface of said object to be brought into a reflection position with respect to said light source and said screen;

a processor unit for correlating and coordinating movements of the light source, the screen, and the object;

an evaluation and signal processing device for creating results by processing and evaluating the images recorded; and

at least one of a display or an output device for displaying and/or outputting the results.

34. (Previously Presented) An apparatus according to claim 33, wherein said object is a vehicle comprising body parts.

35. (Previously Presented) An apparatus according to claim 33, wherein said damages include depressions caused by sudden events.

36. (Previously Presented) An apparatus according to claim 34, wherein:
said support frame includes horizontal or vertical braces; and
said support frame is a container support frame including side walls and end walls which are pivotable about said horizontal or vertical braces thereby defining a support frame that is open on the end walls and side walls for accommodating and scanning said vehicle.

37. (Previously Presented) An apparatus according to claim 34, wherein said braces of said support frame are embodied such that they can be lockably assembled.

38. (Previously Presented) An apparatus according to claim 34, wherein said support frame further includes at least one of a communications space or an operator space separated off from said support frame in which said evaluation and signal processing unit, said display or said output device, and said processor unit are located.

39. (Previously Presented) An apparatus according to claim 36, wherein said support frame further includes at least one of a communications space or an operator space separated off from said support frame in which said evaluation and signal processing unit, said display or said output device, and said processor unit are located.

40. (Previously Presented) An apparatus according to claim 38, wherein said communications and operator space is heat- and sound-insulated.

41. (Previously Presented) An apparatus according to claim 39, wherein said communications and operator space is heat- and sound-insulated.

42. (Previously Presented) An apparatus according to claim 34, wherein said support frame is part of a mobile vehicle.

43. (Previously Presented) An apparatus according to claim 36, wherein said mobile vehicle includes a truck or a mobile container frame.

44. (Previously Presented) An apparatus according to claim 34, wherein said light source is a laser light, pulsed flashlight, or infrared light.

45. (Previously Presented) An apparatus according to claim 44, wherein said laser light is a gas laser such as an excimer laser, argon ion laser, chemical laser, CO laser, CO₂ laser, optically pumped molecular laser, solid state laser, or semiconductor laser.

46. (Previously Presented) An apparatus according to claim 34, wherein said screen is a mesh, matte glass pane, light-sensitive plate, or self-reflecting projection wall.

47. (Previously Presented) An apparatus according to claim 34, wherein said screen is an electro-optical receiver.

48. (Previously Presented) An apparatus according to claim 34, wherein said electro-optical receiver includes a diode array.

49. (Previously Presented) An apparatus according to claim 34, wherein:
the light scans said surface to be scanned in lines; and
an advance when the light beam is displaced is smaller than a light beam diameter.

50. (Previously Presented) An apparatus according to claims 34, wherein the reflected light beams are deflectable directly onto said screen with simultaneous enlargement of the image scale of said surface.

51. (Previously Presented) An apparatus according to claim 34, wherein said recording device for recording the surface image includes a photographic camera, a digital camera, or a web cam.

52. (Currently Amended) An apparatus according to claim ~~ta~~ 33, wherein said display and said output device include a monitor and printer, respectively.